ELSEVIER

Journal of Organometallic Chemistry 642 (2002) 285–286

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 642

Adachi, A., 137
Asao, T., 80
Asbury, A.L., 97
Asselberghs, I., 259
Asthalter, T., 203

Bagnoli, F., 280
Balazs, G., 113
Barberà, G., 16
Bazan, G.C., 275
Bencze, É., 246
Benetollo, F., 64
Bertani, R., 32, 64
Biasiolo, M., 32
Blankenbuehler, M.T., 268
Breunig, H.J., 113
Bueno, A., 212

Calderazzo, F., 280
Canovese, L., 58
Carpenetti, D.W., II, 120
Casey, C.P., 120
Catasús, M., 212
Chai, J.-F., 179
Chernov, N.F., 91
Chesnokova, T.A., 20
Chipanina, N.N., 91
Chojnowski, J., 163
Churchill, D.G., 9
Cifuentes, M.P., 259
Conole, G., 227
Coville, N.J., 195
Crespo, M., 171
Císařová, I., 148
Cypryk, M., 163

Darini, K., 32
Deeney, T., 40
de Koning, C.B., 195
Dell'Amico, D.B., 280
Derdau, V., 131
De Silva, R.M., 237
Domrachev, G.A., 20
Drake, J.E., 71, 113

Edwards, P.G., 281
Elarraoui, A., 107
Englert, U., 280

Fedotova, Y.V., 20
Fejfarová, K., 148
Font-Bardia, M., 171
Font-Bardia, M., 107
Freedman, D.A., 97
Fukin, G.K., 20

Ganis, P., 64
Ghesner, I., 113
Girreser, U., 1
Gray, G., 40
Grebe, B., 1
Grimmer, N.E., 195
Gyepes, R., 148

Herber, R.H., 203
Herrmann, W.A., 246
Hill, N.J., 186
Horáček, M., 148
Hourihane, R., 40
Humphrey, M.G., 259
Hurst, S.K., 259

Ikeda, H., 156
Ito, S., 80

Kai, H., 137
Keresztes, I., 97
Kikuchi, S., 80
King, J.D., 227
Kłys, A., 143
Kornev, A.N., 20
Kubišta, J., 148
Kühn, F.E., 246
Kunai, A., 137
Kurita, M., 80
Kursky, Y.A., 20

Laschat, S., 131
Lee, B.Y., 275
Leng, X.-B., 179
Levason, W., 186
Lokshin, B.V., 246
Love, J.A., 283
Lucchini, V., 58
Luther-Davies, B., 259

Mach, K., 148
Maercker, A., 1
Maestro, M.A., 212
Mahía, J., 212
Marchetti, F., 280
Mays, M.J., 227, 237
McDonagh, A.M., 259
McPartlin, M., 227
Merigo, A., 280
Michelin, R.A., 32
Mink, J., 246
Miyaura, N., 145
Mo, C.-Y., 227
Monoi, T., 156
Morita, N., 80
Moss, G.P., 284
Moyano, A., 212
Mozzon, M., 32
Mushtina, T.G., 20

Nakayama, Y., 156
Németh, C., 246
Neretin, I.S., 191
Newman, P.D., 281
Nief, F., 208
Nowik, I., 203

Ohshita, J., 137
Okita, K., 137
Opris, L., 113
Ovseenko, S.T., 191

Pace, G., 64
Pandey, D.S., 48
Pandolfo, L., 64
Parkin, G., 9
Pérez, S., 171
Persoons, A., 259

Raithby, P.R., 237
Ramello, S., 280
Reichel, E., 203
Reid, G., 186
Ricard, L., 208
Ros, J., 107
Rösler, R., 71

Saitoh, A., 145
Sakamaki, K., 137
Samoc, M., 259
Santo, C., 58
Schottenberger, H., 203
Selegue, J.P., 268
Sherstyannikova, L.V., 91
Shin, J.H., 9
Silvestru, A., 71, 113
Silvestru, C., 71, 113
Singh, A., 48
Singh, N., 48
Slovokhotov, Y.L., 191
Sokolov, V.I., 191
Solan, G.A., 227, 237
Solans, X., 107, 171
Spalding, T., 40
Štěpnička, P., 148
Sumida, T., 137

PII: S0022-328X(01)01456-5

Tang, L.-F., 179
Tatai, A., 1
Teixidor, F., 16
Trofimova, O.M., 91
Troitskaya, L.L., 191
Turchaninov, V.K., 91

Ueda, M., 145

Viñas, C., 16
Visentin, F., 32, 58
Voronkov, M.G., 91

Wang, H.-G., 179
Wang, J.-T., 179
Wang, Z.-H., 179
Ward, A.J., 186

Yáñez, R., 107
Yasuda, H., 156
Yokoyama, R., 80

Zakharov, L.N., 20
Zakrzewski, J., 143
Zambon, A., 58
Zanotto, L., 32, 64
Zhezlova, E.V., 20

ELSEVIER

Journal of Organometallic Chemistry 642 (2002) 287–291

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 642

Ab initio
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163

Acetylide
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259

Acyl
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268

Alkyne
Reactions of acylferrate anion $[CH_3COFe(CO)_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[NEt_4][IFe(CO)_3(COCPh)_2)]$, 107

Allenes
Polylithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1

β-Amino acids
β-Ferrocenyl-β-amino alcohols: a new class of central chiral ferrocene derivatives, 212

β-Amino alcohols
β-Ferrocenyl-β-amino alcohols: a new class of central chiral ferrocene derivatives, 212

ansa-Carbon chain
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148

Arene complex
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120

Asymmetric imidodiphosphinato ligands
Solution and solid state structural investigations of organotin(IV) compounds containing asymmetric imidodiphosphinato ligands. X-ray structures of $R''_2Sn[(OPMe_2)(OPPh_2)N]_2$ (R = Me, Bu^n, Ph), 71

Asymmetric synthesis
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145
β-Ferrocenyl-β-amino alcohols: a new class of central chiral ferrocene derivatives, 212

Boratabenzene ligands
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275

Boron and compounds
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145

Bridging ligand
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2(SPh)_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2(SPh)_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), 40

Bridging ligands
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-}C_{10}H_{14})RuCl(bppz)]BF_4$, 48

Butane-1,3-diol
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191

Caesium
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208

Carbanion rearrangements
Polylithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1

Carbenes
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32

Carboethoxy
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268

Carbonyl
Reactions of acylferrate anion $[CH_3COFe(CO)_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[NEt_4][IFe(CO)_3(COCPh)_2)]$, 107

Carbonyl abstraction
Carbonyl abstraction reactions of $Cp^*Mo(PMe_3)_3H$ with CO_2, $(CH_2O)_n$, HCO_2H, and MeOH: the synthesis of $Cp^*Mo(PMe_3)_2(CO)H$ and the catalytic decarboxylation of formic acid, 9

Carboranes
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16

Carboxylation
Carboxylation of 3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene with CO_2 in the presence of $AlCl_3$, 143

Catalytic decarboxylation
Carbonyl abstraction reactions of $Cp^*Mo(PMe_3)_3H$ with CO_2, $(CH_2O)_n$, HCO_2H, and MeOH: the synthesis of $Cp^*Mo(PMe_3)_2(CO)H$ and the catalytic decarboxylation of formic acid, 9

Chromium
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156

Cluster
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227

PII: S0022-328X(01)01457-7

The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16
Cobalt
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
Cobalt alkyne complexes
Alkaloid *N*-oxide promoted asymmetric cobalt-mediated Pauson–Khand reaction, 131
Complexes
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
Coumarin
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $Mo(CO)_4$(7-isocyanocoumarin)$_2$ complexes. X-ray crystal structure of $Mo(CO)_4$(7-isocyano-4-trifluoromethylcoumarin)$_2$, 97
Crystal structure
Reaction of ketenylidenetriphenylphosphorane, $Ph_3PC{=}C{=}O$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
Crystal structures
Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[PtMe\{1\text{-}(2'\text{-}ClC_6H_4\text{-}CH_2NCH)C_{10}H_6\}PPh_3]$ and $[PtMe\{2\text{-}(2'\text{-}ClC_6H_4CH_2\text{-}NCH)C_{10}H_6\}PPh_3]$, 171
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
[8 + 2] Cycloaddition
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
Cycloheptatriene$Fe(CO)_3$
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
cyclo-Hexaarsane
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
cyclo-Hexaphosphane
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
Cyclometallation
Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[PtMe\{1\text{-}(2'\text{-}ClC_6H_4\text{-}CH_2NCH)C_{10}H_6\}PPh_3]$ and $[PtMe\{2\text{-}(2'\text{-}ClC_6H_4CH_2\text{-}NCH)C_{10}H_6\}PPh_3]$, 171
Cyclopalladation
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
Cyclopentadienide
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
Cyclopentadienyl
Vibrational spectroscopic and force field studies of $(\eta^5\text{-}Cp)ML_3$-type complexes (M = Mn, Re; L = CO, O), 246
Cyclopropanation of olefins
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32

Diazo compounds
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
Diethylaluminum chloride
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156
Dilithiumorganic compounds
Polylithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
Dimeric C_S intermediate mechanism
A novel mechanism for the fluxional behaviour of [Pd(η^2-tetramethylethylenetetracarboxylate)(2-methylthiomethylpyridine)], 58
Dinuclear
Reactions of acylferrate anion $[CH_3COFe(CO)_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[NEt_4][IFe(CO)_3(COCPh)_2)]$, 107
1,1′-Diphosphaferrocene
Carboxylation of 3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene with CO_2 in the presence of $AlCl_3$, 143
Diphosphine
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2(SPh)_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2(SPh)_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), 40
Disiloxane-1,3-diamido
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156
Disulphide
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2(SPh)_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2(SPh)_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), 40
Dithioalkoxycarbonylphosphine
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
Dynamic NMR
A novel mechanism for the fluxional behaviour of [Pd(η^2-tetramethylethylenetetracarboxylate)(2-methylthiomethylpyridine)], 58

EL device
Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
Electrochemistry
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
Electronic effects
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163
Electron-transport
Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
Electrophilic substitution
Carboxylation of 3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene with CO_2 in the presence of $AlCl_3$, 143
ESR spectroscopy
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
Ethylene polymerization
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156

^{57}Fe Mössbauer spectroscopy
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203
Ferrocenes
β-Ferrocenyl-β-amino alcohols: a new class of central chiral ferrocene derivatives, 212
Formyl
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
Fragmentation
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237

Gold
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
Group 6 metal carbonyl complex
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179

1*H*-Cyclohept[*a*]azulene$Fe(CO)_3$
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
β-Hydride elimination
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120
Hydrogenation
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145
Hydrolisis
Reaction of ketenylidenetriphenylphosphorane, $Ph_3PC{=}C{=}O$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
Hydroxyferrocene
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
Hyperpolarizability
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259

Imidodiphosphinato ligands
Phenylantimony(III) derivatives of tetraphenyldichalcogenoimidodiphosphinic acids. Crystal and molecular structure of $PhSb[(XPPh_2)(SPPh_2)N]_2$ (X = O, S), 113
Indenyl ligands
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted $(R\text{-}Ind)_2ZrCl_2$/MAO catalysts, 195
Insertion reactions
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
Iodine
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16
Iron
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
Reactions of acylferrate anion $[CH_3COFe(CO)_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[NEt_4][IFe(CO)_3(COCPh)_2)]$, 107
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2(SPh)_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2(SPh)_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ (n = 3, 4 and 6), 40
Isocyanide
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $Mo(CO)_4$(7-isocyanocoumarin)$_2$ complexes. X-ray crystal structure of $Mo(CO)_4$(7-isocyano-4-trifluoromethylcoumarin)$_2$, 97

Ketenes
Reaction of ketenylidenetriphenylphosphorane, $Ph_3PC{=}C{=}O$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
Ketenylidenetriphenylphosphorane
Reaction of ketenylidenetriphenylphosphorane, $Ph_3PC{=}C{=}O$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64

Lithium dust
Polylithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1

Magnesium
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16
Manganese
Vibrational spectroscopic and force field studies of $(\eta^5\text{-}Cp)ML_3$-type complexes (M = Mn, Re; L = CO, O), 246
Metal atom vibrational amplitudes
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203
Metal chlorides
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
Metallocene
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120
Metallocenes
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted $(R\text{-}Ind)_2ZrCl_2$/MAO catalysts, 195
Metallo-ligands
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-}C_{10}H_{14})RuCl(bppz)]BF_4$, 48
Metasilicates
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163
Methylaluminoxane
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275
Molybdenum
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $Mo(CO)_4$(7-isocyanocoumarin)$_2$ complexes. X-ray crystal structure of $Mo(CO)_4$(7-isocyano-4-trifluoromethylcoumarin)$_2$, 97

Mössbauer
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2(SPh)_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2(SPh)_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), 40

Naphthyl imines
Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[PtMe\{1\text{-}(2'\text{-}ClC_6H_4CH_2NCH)C_{10}H_6\}PPh_3]$ and $[PtMe\{2\text{-}(2'\text{-}ClC_6H_4CH_2NCH)C_{10}H_6\}PPh_3]$, 171

Nido
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16

Nonlinear optics
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259

Norcaradiene
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80

Octamethylferrocenylmethanol (^{57}Fe)
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203

Organotin(IV)
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179

Organotin(IV) compounds
Solution and solid state structural investigations of organotin(IV) compounds containing asymmetric imidodiphosphinato ligands. X-ray structures of $R''_2Sn[(OPMe_2)(OPPh_2)N]_2$ (R = Me, Bu^n, Ph), 71

Oxidative addition
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-}C_2B_{10}H_{13}]^-$, 16

Oxo complexes
Vibrational spectroscopic and force field studies of $(\eta^5\text{-}Cp)ML_3$-type complexes (M = Mn, Re; L = CO, O), 246

8-Oxoheptafulvene
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80

Palladium–olefin complex
A novel mechanism for the fluxional behaviour of [Pd(η^2-tetramethylethylenetetracarboxylate)(2-methylthiomethylpyridine)], 58

Pauson–Khand reaction
Alkaloid *N*-oxide promoted asymmetric cobalt-mediated Pauson–Khand reaction, 131

Permethyltitanocene
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148

Phenylantimony(III) compounds
Phenylantimony(III) derivatives of tetraphenyldichalcogenoimidodiphosphinic acids. Crystal and molecular structure of $PhSb[(XPPh_2)(SPPh_2)N]_2$ (X = O, S), 113

Phosphanide
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208

Phosphido
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227

Phosphites
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191

Phosphole
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208

Phosphorus ylides
Reaction of ketenylidenetriphenylphosphorane, $Ph_3PC{=}C{=}O$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64

Photochemistry
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $Mo(CO)_4$(7-isocyanocoumarin)$_2$ complexes. X-ray crystal structure of $Mo(CO)_4$(7-isocyano-4-trifluoromethylcoumarin)$_2$, 97

Planar chirality
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191

Platinum
Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[PtMe\{1\text{-}(2'\text{-}ClC_6H_4CH_2NCH)C_{10}H_6\}PPh_3]$ and $[PtMe\{2\text{-}(2'\text{-}ClC_6H_4CH_2NCH)C_{10}H_6\}PPh_3]$, 171

Platinum complexes
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32

Polyazine ligands
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-}C_{10}H_{14})RuCl(bppz)]BF_4$, 48

Polymerization
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted $(R\text{-}Ind)_2ZrCl_2$/MAO catalysts, 195
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275

Polysilanes
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20

Poly(triazol-1-yl)alkane
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179

1-[8-(Quinolylthio)methyl]silatrane
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91

(8-Quinolylthiomethyl)trimethoxysilane
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91

(8-Quinolylthiomethyl)trimethylsilane
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91

Reductive metalation
Polylithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1

Rhenium
Vibrational spectroscopic and force field studies of $(\eta^5\text{-}Cp)ML_3$-type complexes (M = Mn, Re; L = CO, O), 246

Rubidium
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208
Ruthenium
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
Ruthenium arene complexes
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-}C_{10}H_{14})RuCl(bppz)]BF_4$, 48

Secondary interactions
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from $o\text{-}C_6H_4(CH_2TeMe)_2$ and PhMeTe, 186
Silanolates
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163
Silanols
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163
Silanones
Silanones and metasilicates from negatively charged $\equiv SiO^{(-)}$ and $=SiO_2^{(2-)}$ precursors. Theoretical study, 163
Silole
Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
Siloxides
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
Steric effects
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted $(R\text{-}Ind)_2ZrCl_2$/MAO catalysts, 195
Sulfur inversion mechanism
A novel mechanism for the fluxional behaviour of [Pd(η^2-tetramethylethylenetetracarboxylate)
(2-methylthiomethylpyridine)], 58
Supramolecules
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-}C_{10}H_{14})RuCl(bppz)]BF_4$, 48
Synthesis
Carbonyl abstraction reactions of $Cp^*Mo(PMe_3)_3H$ with CO_2, $(CH_2O)_n$, HCO_2H, and MeOH: the synthesis of $Cp^*Mo(PMe_3)_2(CO)H$ and the catalytic decarboxylation of formic acid, 9

Tellurium
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from $o\text{-}C_6H_4(CH_2TeMe)_2$ and PhMeTe, 186
Telluronium
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from $o\text{-}C_6H_4(CH_2TeMe)_2$ and PhMeTe, 186
Thallium
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
Thiophosphine
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
Thiophosphinomethane
Phosphorus–hydrogen bond cleavage on a Ph_2PH-substituted μ_3-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
Titanium
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
Titanocene
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
Transition metals
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
Tricyclo[8.5.0.0^{3,9}]pentadeca-3,5,7,11,13-pentaene-2-one
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-$Fe(CO)_3$: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80

UV spectra
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91

Vibrational spectroscopy
Vibrational spectroscopic and force field studies of $(\eta^5\text{-}Cp)ML_3$-type complexes (M = Mn, Re; L = CO, O), 246
Vilsmeier
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268

X-ray crystal structure
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179
X-ray diffraction
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
X-ray molecular structure
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
X-ray structures
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from $o\text{-}C_6H_4(CH_2TeMe)_2$ and PhMeTe, 186

Zirconium
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted $(R\text{-}Ind)_2ZrCl_2$/MAO catalysts, 195
Zirconium cation
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120
Zirconium complexes
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275